

Lexmark X650 Series

Super-fast, ultra-reliable, superior productivity

Lexmark X652de

Lexmark X654de

Lexmark X656dte

Enhance workflow performance!

There are enough things that can slow you down in a day – your documents shouldn't be one of them. The powerful print speeds and intelligent time-saving features of the Lexmark X650 Series make your workday significantly more efficient and productive.

- Rapid printing and copying up to 53 ppm
- High-quality duplex scanning in monochrome and colour
- Optimised workflow capabilities with flexible scan destinations and formats
- Lexmark X656dte model with hard disk supports advanced features, like on-screen scan previews
- Includes advanced faxing with time-saving shortcuts

Cutting-edge security

The Lexmark X650de Series is equipped with state-of-the-art security support to protect your valuable corporate data. It also features customisable user-access controls, allowing you to enable or disable functions with ease.

- IPsec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Industry-leading access restrictions, including LDAP
- Proactively tracks and identifies security risks

Outstanding versatility

One size never fits all. That's why Lexmark offers you more options, more versatility and more functionality for a truly customised solution. Choose from a wide range of flexible features to achieve a perfect fit for your business.

- Input options let you load up to 3,200 sheets
- Customisable touch screen for simple one-touch operation
- MyMFP lets users personalise the touch screen with the functions and shortcuts they use most
- Lexmark's Embedded Solutions Framework enables your MFP to be tailored, optimising your workflow efficiency

Prints black, thinks green

Lexmark multifunction technology makes it easy to reduce the amount of information you print, copy and distribute in hardcopy format. You'll save time, costs and office space, while powering fewer devices. You can also significantly reduce cartridge waste by using Lexmark's high-yield and extra-high-yield print cartridges which boast extraordinary page yields – up to 36,000 pages.

- Eco-Mode reduces power consumption
- Built-in two-sided printing saves paper
- Lexmark's extensive range of solutions are designed to help your business print less by eliminating paper wastage and moving information electronically
- 25,000-page and 36,000-page print cartridges reduce waste as well as lower your cost per page
- Lexmark Cartridge Collection Program offers fast, free and easy recycling

For help to choose your product contact:
1300 362 192 | www.lexmark.com.au

LEXMARK
TM

Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Explore the features that keep you moving.



Enormously intuitive touch screen

This large, fully featured colour touch screen offers fast, easy access to document capture and workflow functions. Tailor it to your business requirements with the icons and shortcuts you need most



Colour scanning

Scan up to 75 pages at a time with the automatic document feeder



Two-sided savings

Built-in duplex printing saves you paper and money



Direct USB

Front USB port for walk-up printing and scanning to a USB memory device



High-yield and extra-high-yield cartridges

Low cost per page, fewer interventions, less impact on the environment



Paper possibilities

Expandable drawers let you load up to 3,200 sheets

Loads of benefits packed into one device!

The Productivity Checklist. If you've got all these, then you've got a Lexmark!

Efficient traffic shaping: When you email a large file from your Lexmark X650de Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally-hosted Web servers.

On-screen scan previews: Before you scan and email an important document, see how it looks and fits on the page. Should it be in colour or black and white? Is the page orientation correct? Are you sure you scanned the correct side of the page? You may also want to check the file size of the scanned document before you save or forward it on. The Lexmark X650de Series lets you preview your scan and note the file size, saving you time and eliminating errors (hard disk required).

Multitalented copying: Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to temporarily interrupt long print runs; ID Card Copy to copy both sides of a card on a single sheet; Sample Copy to proof the first copy set before printing the remaining copies; and Remote Copy which you can use to scan colour documents on your monochrome Lexmark X650de Series MFP and retrieve them from a Lexmark colour laser printer.

Personalised user settings: A real efficiency booster, Lexmark's new MyMFP feature lets multiple users save and re-access their personal settings on a simple flash drive, including their local address book, personal fax numbers, individual copy settings, and even their own touch-screen configuration. Users simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device. A warm welcome each time they use it!

Easy to manage: Take a load off your help desk. These printers are network ready and very easy to set up. If you're installing multiple Lexmark laser devices, the Lexmark Universal Driver offers even easier deployment. Once you're up and running, Lexmark's free remote management software, Lexmark MarkVision™ Professional, keeps the workday flowing.

Solutions ready: Enabled with Lexmark's Embedded Solutions Framework, the Lexmark X650 family is the ideal platform for tapping into the benefits of Lexmark's industry-leading enterprise workflow solutions. They can help you print less, lower costs, reduce waste and significantly streamline your processes. To learn more about Lexmark solutions, contact your Lexmark representative today.

The Lexmark X650de Series packs more benefits than ever into a high-performance, space-saving multifunction laser. Power up your workgroup with reliable, ultra-fast printing and copying. Boost productivity with superior colour-scanning capabilities and efficient workflow solutions. And experience smart, new ways to lower costs while reducing the environmental impact of printing.

Lexmark | **X652de**



Lexmark X652de

- Includes print, copy, fax and colour-scan functions
- Up to 43 ppm, as fast as 8 seconds to first page
- Customisable 7" colour touch screen
- 650-sheet standard input, 550-sheet output capacity
- Integrated 2-sided printing, scanning and copying



Lexmark | **X654de**



Lexmark X654de

- Includes print, copy, fax and colour-scan functions
- Up to 53 ppm, as fast as 9.5 seconds to first page
- Integrated 2-sided printing, scanning and copying
- Automatic document feeder holds up to 75 sheets and scans both sides of your document in one pass
- Extra-large 9" customisable colour touch screen



Lexmark | **X656dte**



Lexmark X656dte

Same performance as X654de but also includes:

- 80GB hard disk for expanded functionality
- Added 550-sheet drawer for 1,200-sheet total input capacity



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit www.lexmark.com/recycle

Cost saving and environmental features

- Energy Star compliant
- Duplex printing, print and hold (verify print), multi-up printing and quality printing on recycled paper help reducing paper consumption
- Selectable toner saving modes help reducing the amount of toner used on a page.
- Return programme cartridges and end-of-life product management help reducing landfill



Product specifications

Lexmark X650 Series

	Lexmark X652de	Lexmark X654de	Lexmark X656dte
Printing			
Print Technology	Monochrome Laser		
Print Speed (A4, Black): Up to	43 ppm	53 ppm	53 ppm
Time to First Page (Black)	As fast as 7.5 seconds		
Print Resolution, Black	1,200 Image Quality, 1,200 x 1,200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory, Standard	256 MB		
Memory, Maximum	1,280 MB		
Acoustics/Noise level (Operating mode)	54 dBA	56 dBA	56 dBA
Acoustics/Noise level (Idle mode)	29 dBA		
Maximum Monthly Duty Cycle: Up to	200,000 pages per month	275,000 pages per month	275,000 pages per month
Recommended Monthly Page Volume	3,000 - 20,000 pages	5,000 - 30,000 pages	5,000 - 30,000 pages
Supplies*			
Supplies Yield	25,000*-page High Yield Print Cartridge, 7,000*-page Print Cartridge	36,000*-page Extra High Yield Print Cartridge, 25,000*-page High Yield Print Cartridge, 7,000*-page Print Cartridge	36,000*-page Extra High Yield Print Cartridge, 25,000*-page High Yield Print Cartridge, 7,000*-page Print Cartridge
Cartridge(s) Shipping with Product	7,000*-page Return Program Print Cartridge	18,000*-page Starter Return Program Print Cartridge	18,000*-page Starter Return Program Print Cartridge
*Average standard page yield value declared in accordance with ISO/IEC 19752.			
Copying			
Copy Speed (A4, Black): Up to	43 cpm	53 cpm	53 cpm
Copy Speed (Letter, Black): Up to	45 cpm	55 cpm	55 cpm
Scanning			
Scanning Resolution	600 X 600 dpi (mono)		
Reduce / Enlarge Range	25 - 400 %		
Faxing			
Modem Speed	33.6 Kbps		
Paper Handling			
Paper Handling Standard	100-Sheet Multipurpose Feeder, 250-Sheet Input Tray, 350-Sheet Output Bin	100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 350-Sheet Output Bin	100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 550-Sheet Output Bin
Duplex Print	Standard integrated 2-sided Printing		
Paper Handling Optional	1,850-Sheet High-capacity Output Stacker, 200-Sheet Universally Adjustable Tray with Drawer, 400-Sheet Universally Adjustable Tray with Drawer, 5-Bin Mailbox, 550-Sheet Drawer, Envelope Feeder, 250-Sheet Drawer, 250-Sheet Duplex Unit, Optional furniture required., 2,000-Sheet High-capacity Feeder, 550-Sheet Output Expander, StapleSmart II Finisher	1,850-Sheet High-capacity Output Stacker, 200-Sheet Universally Adjustable Tray with Drawer, 400-Sheet Universally Adjustable Tray with Drawer, 5-Bin Mailbox, 550-Sheet Drawer, Envelope Feeder, 250-Sheet Drawer, Optional furniture required., 2,000-Sheet High-capacity Feeder, 550-Sheet Output Expander, StapleSmart II Finisher	1,850-Sheet High-capacity Output Stacker, 200-Sheet Universally Adjustable Tray with Drawer, 400-Sheet Universally Adjustable Tray with Drawer, 5-Bin Mailbox, 550-Sheet Drawer, Envelope Feeder, 250-Sheet Drawer, Optional furniture required., 2,000-Sheet High-capacity Feeder, 550-Sheet Output Expander, StapleSmart II Finisher
Paper Input Capacity, Standard	650 pages 20 lb or 75 gsm bond	650 pages 20 lb or 75 gsm bond	1,200 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum	3,200 pages 20 lb or 75 gsm bond		
Paper Output Capacity, Standard	550 pages 20 lb or 75 gsm bond		
Paper Output Capacity, Maximum	550 pages 20 lb or 75 gsm bond		
ADF Paper Input Capacity : Up to	75 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal		
Compatibility			
Network Protocol Support	TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP		
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, PPDS, PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification)		
Connectivity (standard)	Fast Ethernet, One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification, Front USB port Compatible with USB 2.0 Specification (Type A)		
Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services		
Apple Macintosh Operating Systems Supported	Mac OS X, Mac OS 9.x		
Other Operating Systems Supported	www.lexmark.com.au		
General			
Function	Colour Scanning, Copying, Faxing, Network Scanning, Printing		
Product Guarantee	2-Year Onsite Service, Next Business Day		
Product Certifications	www.lexmark.com.au		
Size (mm - H x W x D)	755 x 548 x 611 mm	755 x 548 x 611 mm	885 x 548 x 611 mm
Weight (kg)	45.4 kg		
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3,048 Meters (10,000 Feet)		

Lexmark's guarantee to you: Lexmark's 2-Year Onsite guarantee provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com.au. Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts.

Maximum Monthly Duty Cycle: «Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. **Recommended Monthly Page Volume:** «Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks: Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

For help to choose your product contact:
1300 362 192 | www.lexmark.com.au

